

CRV 2008 c4500 DEMO -component

Singer Associates

Capitol Response Vehicles 2008 c4500 DEMO

Capitol response Vehicles  
 Bill Kost  
 12351 Randolph Ridge Ln.  
 Manassas, VA 20109  
 bkost@singerassociates.com

Exp. Date: 11/27/2008  
 Quote No: A1074-0001

BODY: CHEV-TITN Titan Chevy, Type III C4500 170"

11/12/2008

Page 1

| PART NO    | S | DESCRIPTION  | QTY    | ID         |
|------------|---|--|--------|------------|
| 00-00-0100 |   | == Titan Chevy, Type III C4500 170" - 23.000 10/01/08 ==<br>PL Gold - Release 23.000, Updated 10-1-08<br>*****<br>*****<br>*****   | 1<br>1 | PLG<br>PLG |
|            |   | FOR OFFICE USE ONLY!<br><br>IF YOU CAN READ THIS, TECH NOTES WILL BE PRINTED.<br><br>*****<br>*****<br>*****   |        |            |
| 00-10-5520 |   | TITAN CHEVY C4500 100, AMBULANCE 72" HDRM<br>Overall Vehicle Dimensions:<br>Length: 284"<br>Width: 99"<br>Height: 111"<br>Exterior Modular Body Dimensions:<br>Length: 170"<br>Width: 97"<br>Height: 91"<br>Interior Modular Body Dimensions:<br>Length: 160"<br>Width: 90 3/4"<br>Height: 72" | 1      | PLG        |
| 10-00-0000 |   | EXTERIOR   | 1      | PLG        |
| 10-10-1100 |   | Modular Body Construction  | 1      | PLG        |
| 10-10-2000 |   | Structural Integrity Warranty<br>The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.  | 1      | PLG        |
| 10-12-0610 |   | 8" Cab-Body Recess, Medium Duty Chevy  | 1      | PLG        |
| 10-12-0810 |   | Cab to body walk-thru, Medium Duty Chevy   | 1      | PLG        |
| 10-14-4010 |   | Headroom, 72" (MD Titan)   | 1      | PLG        |
| 10-15-1910 |   | Medium Duty Chevy, 100" CA, Body Length, 170"  | 1      | PLG        |
| 10-15-4550 |   | Body mounting, rubber donuts, M-Duty C4500, Type III   | 1      | PLG        |
| 11-10-0000 |   | EXTERIOR DOORS, AMBULANCE  | 1      | PLG        |
| 11-10-3550 |   | Trimark 850 Paddle Handle Power Locking, Entr. Doors, Qty(3)   | 1      | PLG        |

| PART NO    | S | DESCRIPTION   | QTY | ID  |
|------------|---|---|-----|-----|
| 11-10-4150 |   | Trimark 850 Paddle Handle Power Locking, Std Compt Doors (6)  | 1   | PLG |
| 11-10-4160 |   | Trimark 850 Paddle Handles, Optional Compartment Doors<br>Qty: (1) Compartment "J"  | 1   | PLG |
| 11-20-2000 |   | Gas Spring Pneumatic Door Checks  | 1   | PLG |
| 11-20-2050 |   | Compartment "E" Door to Check Past 90 Degrees<br>Gas Spring on Compartment "E" to open past 90 Degrees for easier access<br>When "J" Compartment selected, the "E" door MUST check at 90 degree<br><br>Procedure: TRM-U-XXXXXX-00966-02 | 1   | PLG |
| 11-20-5000 |   | Cast Products Grabber Rear Doors Hold Open  | 1   | PLG |
| 12-00-0000 |   | COMPARTMENT LAYOUT  | 1   | PLG |
| 12-10-0A00 |   | Compartment Layout; 100", Medium Duty Chevy<br>Exterior compartment dimensions reflect wall to wall measurements.   | 1   | PLG |
| 12-10-3035 |   | "A" Left Front, Full High, Oxygen "H" Tank<br>Dimensions: 20" wide x 83" high x 21 3/4" deep  | 1   | PLG |
| 12-15-1020 |   | "B" Left Side, Half High, W/(2) Adj. Shelves-43" wideOption<br>Dimensions: 43 3/8" wide x 39" high x 21 3/4" deep   | 1   | PLG |
| 12-20-1425 |   | "C" Left Rear, 3/4 High, outside access, 2 Shelves<br>Dimensions: 30 1/2" wide x 59" high x 21 3/4" deep  | 1   | PLG |
| 12-25-1015 |   | "D" Right Front, Inside-Outside Access<br>Dimensions: 20" wide x 52" high x 21 3/4" deep<br>Note:Below floor level is only 14" deep   | 1   | PLG |
| 12-30-2515 |   | "E" Right Rear, Full Height, 24" Wide, Long Equip<br>Dimension: 24 1/2" wide x 83" high x 21 3/4" deep  | 1   | PLG |
| 12-55-1200 |   | "J" Right Rear, Skirt Compt, Rear of Wheel<br>Dimensions: 17" wide x 25" high x 17 3/4" deep<br><br>"E" compartment can not check past 90 degrees with this option  | 1   | PLG |
| 13-00-0000 |   | EXTERIOR COMPARTMENTS   | 1   | PLG |
| 13-10-1000 |   | Aluminum Diamond Plate, welded  | 1   | PLG |
| 13-20-1000 |   | Compartment Door Panels, Alum, Diamond Plate  | 1   | PLG |
| 13-30-1M00 |   | Stainless Steel Door Sills, Compt & Entrance  | 1   | PLG |
| 13-30-2000 |   | Vent Compartments to Exterior of Vehicle  | 1   | PLG |
| 13-40-1000 |   | Dri-Dek, Floors of Compartment, Black   | 1   | PLG |
| 13-40-2500 |   | Rubber Mat, Shelves, Exterior Compartment   | 1   | PLG |
| 13-40-2800 |   | Turtle Tile Non-skid Stepwell Mat (removable)   | 1   | PLG |
| 13-70-0000 |   | SECURING DEVICES FOR EQUIPMENT  | 1   | PLG |
| 13-70-0200 |   | Bulbous mounts for (2) backboards Compt. "E"  | 1   | PLG |
| 13-70-0700 |   | Hanger for Ferno EXL or #65 Scoop Compartment "E"   | 1   | PLG |
| 13-70-1000 |   | Additional holders for Backboards (Bulbous mount)<br>Qty: _____, Location: _____<br>Total: _____  | 1   | PLG |
| 13-70-2100 |   | Full height divider w/(3) adj. shelves, in/out access to "E"<br>Long Equipment Storage Compartment "E"<br>Divider to be 12" off front wall w/10" shelves.   | 1   | PLG |
| 14-00-0000 |   | REAR STEP BUMPER  | 1   | PLG |

| PART NO    | S | DESCRIPTION  | QTY | ID  |
|------------|---|--|-----|-----|
| 14-10-2100 |   | Lift-Up Rear Step, Fully Recessed, M-Duty/Crusader<br>Part # PL-2490   | 1   | PLG |
| 14-20-1000 |   | Rear Dock Bumpers, Bolted to Bumper Ends   | 1   | PLG |
| 15-00-0000 |   | ALUMINUM DIAMOND PLATE ACCESSORIES   | 1   | PLG |
| 15-10-1000 |   | Front Stone Guards, Polished Diamond Plate   | 1   | PLG |
| 15-20-1030 |   | Rub-Rails, Offset bolt-on, Diamond Plate   | 1   | PLG |
| 15-30-3500 |   | Diamond Plate Covers, Cab Steps, MD Chevy<br>L00647200   | 1   | PLG |
| 16-00-0000 |   | EXTERIOR TRIM  | 1   | PLG |
| 16-10-1650 |   | Fenderettes, Rolled, Polished Stainless Steel (MD)   | 1   | PLG |
| 16-30-1000 |   | License Plate Holder, Cast Prod, Polished, Left side body  | 1   | PLG |
| 16-35-1020 |   | Fuel Fill Housing, Cast products, Polished   | 1   | PLG |
| 16-40-1000 |   | Exhaust Air Vent Cowl, Rear, Cast Products   | 1   | PLG |
| 17-00-0000 |   | EXTERIOR, MISCELLANEOUS  | 1   | PLG |
| 17-50-1200 |   | Undercoat Body, Titan  | 1   | PLG |
| 18-00-0000 |   | BODY WINDOWS   | 1   | PLG |
| 18-10-1000 |   | Window, Side Door (18"W x 22"H), Sliding, 31% Tint   | 1   | PLG |
| 18-20-2000 |   | Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint   | 1   | PLG |
| 20-00-0000 |   | INTERIOR   | 1   | PLG |
| 20-00-1000 |   | INTERIOR CONSTRUCTION  | 1   | PLG |
| 20-10-0000 |   | INSULATION   | 1   | PLG |
| 20-10-1000 |   | Insulation, Interior Body  | 1   | PLG |
| 20-10-2000 |   | Sound Deadened Insulation, Entrance Doors  | 1   | PLG |
| 20-10-3000 |   | Sound Deadened, Compartment Doors  | 1   | PLG |
| 20-10-5000 |   | Sub-Floor, Expanded PVC Polymer<br>This floor replaces the "PL Sound Stop Flooring"  | 1   | PLG |
| 21-10-0000 |   | FRONT BULKHEAD   | 1   | PLG |
| 21-10-2000 |   | Walk-Thru Door/Recessed Pocket -(Solid Window)<br>With Solid 12"w x 12"h window  | 1   | PLG |
| 21-30-1000 |   | Climate Control Unit Over Cab to Body Passage  | 1   | PLG |
| 21-40-1000 |   | Electrical Power Distribution Cabinet, Vinyl   | 1   | PLG |
| 21-45-0000 |   | RIGHT FRONT CABINET (Upper Section)  | 1   | PLG |
| 21-49-S024 | X | Mermaid Medi-Kool 747 Climate Control System, Upper cabinet<br>Right front, upper cabinet area to house Medi-Kool unit.<br>Large enough to hold a Plano 747 med box.<br>Requires 12v power lead<br>NOTE: unit will need to be special ordered for fit into cabinet | 1   |     |
| 21-50-0000 |   | RIGHT FRONT CABINET (Lower Section) IN/OUT   | 1   | PLG |
| 21-50-1000 |   | Right front, inside/outside storage  | 1   | PLG |
| 21-50-2000 |   | Right front, (2) adjustable shelves<br>Shelves to be lined with ribbed rubber mat.   | 1   | PLG |
| 21-60-1000 |   | Right front cabinet 1/2" acrylic doors,tinted  | 1   | PLG |
| 21-80-2500 |   | Pull-out drawer, right front cabinet, Locking<br>Includes gas spring hold open and adjustable acrylic dividers.  | 1   | PLG |

| PART NO    | S | DESCRIPTION   | QTY | ID  |
|------------|---|---|-----|-----|
| 22-00-0000 |   | RIGHT SIDE SQUAD BENCH  | 1   | PLG |
| 22-00-1000 |   | Squad Bench right side  | 1   | PLG |
| 22-05-0500 |   | Right Side Back Wall  | 1   | PLG |
| 22-10-3000 |   | Delete post and wheel cups in squad bench   | 1   | PLG |
| 22-15-1000 |   | Under seat storage, laminated   | 1   | PLG |
| 22-20-0100 |   | Backrest, Fixed, Standard Retangular  | 1   | PLG |
| 22-25-0600 |   | Armrest/Recessed "D" bottles, MedDuty (Includes vinyl pouch)<br>See "D" bottle storage in section # 80-43-XXXX              | 1   | PLG |
| 22-30-2000 |   | Squad bench lid, Positive hold down device  | 1   | PLG |
| 22-35-3000 |   | Combo Trash/Sharps, tip out, head of bench into aisle<br>Sharps Container 1qt.  | 1   | PLG |
| 22-45-1128 |   | Overhead cabinet 12 3/4"h,lift-up restock,w/(4)glove box stg  | 1   | PLG |
| 22-50-0500 |   | Right Rear, fascia cabinet  | 1   | PLG |
| 22-92-0000 |   | LEFT SIDE FORWARD INTERIOR  | 1   | PLG |
| 22-92-0100 |   | Left side forward fascia cabinet (72"Hdrm)  | 1   | PLG |
| 23-00-0000 |   | LEFT SIDE MIDDLE (Base Cabinet)   | 1   | PLG |
| 23-10-0150 |   | Left Side Back Wall   | 1   | PLG |
| 23-10-1000 |   | Left side attendant seat-(CPR Seat)   | 1   | PLG |
| 23-10-2000 |   | Hinged Backrest for counter extension -(Single CPR Seat)  | 1   | PLG |
| 23-10-5000 |   | Seat cushion, fixed- (Single CPR Seat)  | 1   | PLG |
| 23-30-0000 |   | LIFE SUPPORT STATION  | 1   | PLG |
| 23-30-2000 |   | Switch pod, above counter, vinyl covered  | 1   | PLG |
| 23-31-1500 |   | Cabinet head of switch pod, hinged door<br>Includes (1) adjustable shelf  | 1   | PLG |
| 23-32-1010 |   | Upper storage cabinet, 45 deg, lift-up restocking door<br>Includes (1) adjustable shelf                                     | 1   | PLG |
| 23-34-1510 |   | Sierra Corian counter, 1" lip, Left front: Color: Sandstone<br>(Not available with cut-outs)                                | 1   | PLG |
| 23-34-3510 |   | Sharps disposal, tip out, below L/S/S counter (8 qt.)   | 1   | PLG |
| 23-36-6000 |   | Clock, 12 volt 24 hour, Analog mounted on 45 degree cabinet   | 1   | PLG |
| 23-36-7000 |   | Pull-out writing surface/storage drawer, L/S/S<br>Not Available with in/out to Compt. "B"                                   | 1   | PLG |
| 23-40-0000 |   | LEFT REAR STORAGE CABINET   | 1   | PLG |
| 23-40-1010 |   | Left rear full cabinet, upper, lift-up restocking door<br>Includes (1) adjustable shelf                                     | 1   | PLG |
| 23-42-1510 |   | Sierra Corian counter, 1" lip, Left rear, Color: Sandstone<br>(Not available with cut-outs)                                 | 1   | PLG |
| 23-44-2010 |   | Trash/Sharps, tip out, below left rear counter<br>Sharps Container 1qt.<br>Not available w/pull-out drawer option #12-35-10 | 1   | PLG |
| 23-70-0000 |   | RIGHT REAR CABINET  | 1   | PLG |
| 23-70-1000 |   | Right Rear In/out to Compartment "E"<br>Dimensions: 10" wide 40 1/2" high - 72" Headroom<br>With Hinged Acrylic Door        | 1   | PLG |
| 24-00-0000 |   | INTERIOR CABINET DOORS  | 1   | PLG |

| PART NO    | S | DESCRIPTION   | QTY | ID  |
|------------|---|---|-----|-----|
| 24-10-3M00 |   | Cabinet doors, Lexan, tinted  | 1   | PLG |
| 24-15-1000 |   | Handles, full length, sliding doors   | 1   | PLG |
| 24-20-1000 |   | Positive closure devices hinged doors   | 1   | PLG |
| 24-25-1000 |   | Unistrut, interior cabinet shelves, "Mini"  | 1   | PLG |
|            |   |   |     |     |
| 24-30-0000 |   | ENTRANCE DOORS  | 1   | PLG |
| 24-30-2000 |   | Ent. Door panels, 3 section   | 1   | PLG |
|            |   |   |     |     |
| 24-35-0000 |   | ABOVE DOOR HEAD BUMPERS   | 1   | PLG |
| 24-35-0100 |   | Side Door Head Bumper   | 1   | PLG |
| 24-35-0500 |   | Rear Door Head Bumper   | 1   | PLG |
|            |   |   |     |     |
| 25-00-0000 |   | GRAB RAILS  | 1   | PLG |
| 25-10-1000 |   | Grab rail, 72", s/steel, over squad bench   | 1   | PLG |
| 25-10-3600 |   | Grab rail, 18", at rear entrance doors, (2)<br>Ref Install Drawing INS-M#-XXXXXX-00847-03                                   | 1   | PLG |
|            |   |   |     |     |
| 25-11-1A00 |   | Grab rail, 45 deg, side entrance door, (1)  | 1   | PLG |
| 25-12-2000 |   | Grab handle, spring loaded, rear ent door (2)   | 1   | PLG |
|            |   |   |     |     |
| 25-50-0000 |   | SEAT BELTS  | 1   | PLG |
| 25-50-1000 |   | Seat belt, squad bench, Qty (3)   | 1   | PLG |
| 25-50-2000 |   | Seat belt, attendant seat, Qty (1)  | 1   | PLG |
| 25-50-3000 |   | Seat belt, left side attendant, Qty (1)   | 1   | PLG |
| 25-51-1000 |   | Patient restraint strap, squad bench, Qty (3)   | 1   | PLG |
|            |   |   |     |     |
| 26-00-0000 |   | COT MOUNTING  | 1   | PLG |
| 26-10-5100 |   | Cot mount, Stryker, Model 6377, dual position, removable<br>All cot mount components STRYKER.                               | 1   | PLG |
|            |   |   |     |     |
| 26-47-0400 |   | MODEL OF COT  | 1   | PLG |
| 26-47-4500 |   | Mounting hardware for - Stryker Model 6082 MX-PRO<br>Includes floor mounted safety hook<br>Hardware Only - Cot not included | 1   | PLG |
|            |   |   |     |     |
| 26-50-0000 |   | I.V. HOLDER   | 1   | PLG |
| 26-50-1M10 |   | Rubber I.V. holder, dual, recessed, over cot  | 1   | PLG |
| 26-50-2100 |   | Rubber I.V. holder, dual, recessed, over squad bench  | 1   | PLG |
|            |   |   |     |     |
| 27-00-0000 |   | INTERIOR COLORS   | 1   | PLG |
| 27-10-1000 |   | Ceiling, white Kemlite, pebble finish   | 1   | PLG |
| 27-10-2000 |   | Upper Laminate - Khaki D50-60   | 1   | PLG |
| 27-10-4600 |   | Lower Laminate - Khaki D50-60   | 1   | PLG |
|            |   |   |     |     |
| 27-20-0000 |   | INTERIOR UPHOLSTERY   | 1   | PLG |
| 27-20-5000 |   | Upholstery, Flat-Seamless   | 1   | PLG |
| 27-20-6400 |   | Upholstery Color: Tan   | 1   | PLG |
|            |   |   |     |     |
| 27-30-0000 |   | ATTENDANT SEAT  | 1   | PLG |
| 27-33-1300 |   | Attn Seat, EVS w/built in child seat (Swivel), Tan  | 1   | PLG |
|            |   |   |     |     |
| 27-50-0000 |   | FLOORING  | 1   | PLG |

| PART NO    | S | DESCRIPTION  | QTY | ID  |
|------------|---|--|-----|-----|
| 27-53-2400 |   | Lonplate II, diamond plate, Putty (#411)   | 1   | PLG |
| 27-55-2000 |   | Flooring rolled up side walls 3"   | 1   | PLG |
| 27-70-0000 |   | CAB CONSOLE  | 1   | PLG |
| 27-70-1506 |   | C4500 Floor Mount Console, Titan, Power Logix  | 1   | PLG |
| 28-00-0000 |   | MISCELLANEOUS INTERIOR   | 1   | PLG |
| 28-50-1000 |   | Fasten Seat Belt/No Smoking Sign   | 1   | PLG |
| 28-50-2000 |   | Entrance Door Reflectors   | 1   | PLG |
| 30-00-0000 |   | OXYGEN AND SUCTION   | 1   | PLG |
| 30-10-1000 |   | Oxygen Outlet, Air Liquide, dual, LSS  | 1   | PLG |
| 30-10-2000 |   | Oxy Outlet, Air Liquide, single, rt side- In O'head Cabinet  | 1   | PLG |
| 30-10-4500 |   | Oxygen Outlet, single, ceiling raceway, front<br>REF: INS-M3-XXXXXX-00939-02   | 1   | PLG |
| 30-20-1000 |   | Oxygen Solenoid w/ manual override & switch  | 1   | PLG |
| 30-30-1000 |   | Suction pump, electric, Thomas, switch in LSS  | 1   | PLG |
| 30-30-2400 |   | Collection Bottle, SSCOR Disp. w/ white-regulator  | 1   | PLG |
| 30-40-2300 |   | PL Power Logix O2 Monitoring System, Phase III<br>Requires #1633-2 Large tank pressure regulator   | 1   | PLG |
| 30-50-2000 |   | Oxygen Bottle holder, Steel, Ziamatic, "H" size cyl.   | 1   | PLG |
| 30-60-4000 |   | Regulator, Oxygen, Large Tank, (aka, #1633-2)  | 1   | PLG |
| 30-80-1000 |   | Wrench, Oxygen Cyl. w/tubing covered chain- (wall mounted)   | 1   | PLG |
| 40-00-0000 |   | ELECTRICAL   | 1   | PLG |
| 40-00-0500 |   | Electrical System Warranty<br>The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it. | 1   | PLG |
| 40-00-0600 |   | Electrical System Warranty, Power Logix<br>The Electrical System shall be warranted for 10 years as long as the original purchaser shall own it. | 1   | PLG |
| 40-00-3500 |   | Electrical 12 VDC, POWER LOGIX, Titan Chevrolet, Phase III   | 1   | PLG |
| 40-00-3900 |   | Electrical 12 VDC Specifications, POWER LOGIX, Phase III   | 1   | PLG |
| 40-10-0150 |   | Electrical Power Distribution Panel - C4500  | 1   | PLG |
| 41-00-0000 |   | CAB ELECTRICAL   | 1   | PLG |
| 41-10-3000 |   | Alternator, Dual 150 amp, OEM, Chevy 4500  | 1   | PLG |
| 41-20-4000 |   | Batteries, OEM Medium Duty, cab step   | 1   | PLG |
| 41-30-3900 |   | Switch, Master, HCS Power Logix<br>Switch mounted on either seat base or side of console (dependent on vehicle type)                             | 1   | PLG |
| 42-00-0000 |   | SWITCH PANEL   | 1   | PLG |
| 42-05-1100 |   | Power Logix Phase III, Switching System  | 1   | PLG |
| 42-15-3500 |   | Power Logix Switches, Sealed, Lighted, Pushbutton  | 1   | PLG |
| 42-20-0600 |   | Battery On Indicator Light, Power Logix  | 1   | PLG |
| 42-20-1500 |   | Warning Indicator, Door open, Red, Power Logix   | 1   | PLG |
| 42-20-2500 |   | Warning Indicator, Compartment Open, Red, Power Logix  | 1   | PLG |
| 42-20-2600 |   | Warning Indicator, Shoreline, Red, Power Logix   | 1   | PLG |
| 42-20-3500 |   | Warning Indicator, Audible alarm, Door, Compt., Shoreline  | 1   | PLG |
| 42-20-4100 |   | Warning Ind/Audible, Parking Brake, Dual-Mode, Power Logix   | 1   | PLG |
| 42-20-4300 |   | Warning Indicator, Rear Step Up, Power Logix   | 1   | PLG |

| PART NO    | S | DESCRIPTION   | QTY | ID  |
|------------|---|---|-----|-----|
| 42-21-1000 |   | Hella Gooseneck Light 7", Includes Red Filter   | 1   | PLG |
| 42-25-6600 |   | Throttle, Electronic Chevy/GMC C4500  | 1   | PLG |
| 42-30-1500 |   | Back-up alarm, w/resetting cancel switch, Power Logix   | 1   | PLG |
| 42-35-1000 |   | Spotlight, Unity 5", wired direct to console  | 1   | PLG |
| 42-45-2300 |   | Load Manager, Power Logix   | 1   | PLG |
|            |   | RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP   |     |     |
|            |   | FULL TIME Load Management of Emergency Lights   |     |     |
| 42-45-2350 |   | Sequencer, Dual-Logix, Response/Scene, Power Logix  | 1   | PLG |
|            |   | RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP   |     |     |
|            |   | FULL TIME Load Management of Emergency Lights   |     |     |
| 42-55-2000 |   | Silent Signal System w/Audible Alarm, Power Logix   | 1   | PLG |
| 42-60-2000 |   | Air Horn, Grover 1512, Qty (2), 12V w/reserve tank  | 1   | PLG |
|            |   | System to use (2) Small Air Compressors 1/10 hp each  |     |     |
|            |   | (1) Large Reserve tank, 2800 cu. in. capacity   |     |     |
|            |   | Ref procedure CHP-U-XXXXXX-00524  |     |     |
| 42-60-4800 |   | Air Horn activation, "Plunger Style" switch, drivers console                                      | 1   | PLG |
| 42-60-5400 |   | Air Horn, Location, cab fender  | 1   | PLG |
| 42-65-1300 |   | Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)                                       | 1   | PLG |
| 42-65-1500 |   | Remote Keyless Entry w/Chassis Power Door Lock Control  | 1   | PLG |
|            |   | OEM door switches control cab & body doors.   |     |     |
| 42-65-2200 |   | Power Door Lock Concealed Override Switch, Grille   | 1   | PLG |
|            |   | Located in front grille area.   |     |     |
| 42-65-3150 |   | Unavailable --Power Door Lock, Park-Drive, Power Logix  | 1   | PLG |
|            |   | This feature "Park-Drive" Door lock not compatible on the C4500 Chassis and International Chassis |     |     |
| 42-65-3200 |   | Power Door Lock Switches, Side and Rear Doors, Power Logix  | 1   | PLG |
| 43-00-0000 |   | EMERGENCY WARNING EQUIPMENT   | 1   | PLG |
| 43-20-0000 |   | SIREN   | 1   | PLG |
| 43-20-4G50 |   | Siren, Whelen 295SLSA1, w/diag. (replaces 295HFSA1)   | 1   | PLG |
|            |   | replaces 295HFSA1   |     |     |
| 43-20-5000 |   | Siren-Horn Switch   | 1   | PLG |
| 43-30-0000 |   | SIREN SPEAKERS  | 1   | PLG |
| 43-30-5500 |   | Bumper Spkrs, CPI SAD/SAP 4308-03C45-1 (2), Chev4500  | 1   | PLG |
| 43-40-0000 |   | FRONT LIGHT BAR   | 1   | PLG |
| 43-40-7600 |   | Flush Mounted Light bar- (No 900 Front Body Lights)   | 1   | PLG |
| 43-4U-5520 |   | Whelen 4500 Plus Series 45B86A (7) 700 Super-LED w/o 900 Frt                                      | 1   | PLG |
|            |   | Light bar to have 700 Series Super-LED lights   |     |     |
|            |   | Includes (5) Amber ICC Lights   |     |     |
|            |   | Deletes (3) 900 Series Front Lights   |     |     |
|            |   | Each end LED and center LED flashed by body flasher   |     |     |
|            |   | Remaining (4) LED's flashed by internal flashers and switched by front lightbar switch.           |     |     |
|            |   | Lens Color clear unless otherwise specified.  |     |     |
|            |   | Layout:   |     |     |
|            |   | Red LED/ Red LED/ Red LED/ Clear LED/ Red LED/ Red LED/ Red LED                                   |     |     |

| PART NO    | S | DESCRIPTION   | QTY | ID  |
|------------|---|---|-----|-----|
| 43-50-0000 |   | REAR LIGHT BAR  | 1   | PLG |
| 43-50-3515 |   | Whelen 4500 Plus Series 45B86R, (7) 700 Super-LED w/Work Lts<br>Light bar to have 700 Series Super-LED lights<br>Includes (5) Red ICC Lights & 3rd Brake Light                                  | 1   | PLG |
|            |   | Lens Color & Layout:<br>Red LED/ Red LED/ Red LED/ Work/ Amber LED/ Work/ Red LED/ Red LED/ Red LED   |     |     |
| 43-50-6000 |   | REAR TRAFFIC ADVISOR  | 1   | PLG |
| 43-50-8000 |   | Whelen Traffic Advisor, Low Profile TAL85 (8) LED (46")<br>Requires 30 ft. Cable  | 1   | PLG |
| 43-60-0000 |   | FLASHING WARNING LIGHTS   | 1   | PLG |
| 43-60-0125 |   | Light heads with clear lenses<br>Option. All exterior cab and body LED warning light lense colors will be clear. Split color LED light heads will have clear lenses.                            | 1   | PLG |
| 43-60-0500 |   | BODY MOUNTED LIGHTS   | 1   | PLG |
| 43-60-2550 |   | LED Independent Flash, "ACTIONSCAN" mode<br>Primary/ secondary switch in console<br>All Body and cab warning lights will be set to "ACTIONSCAN" and flash in an unsynchronized, random pattern. | 1   | PLG |
|            |   | Alternating flasher is required for brake priority lighthoods, which will be set to "SIGNALALERT STEADY";   |     |     |
|            |   | Brake Priority SUPER LED lighthoods will be steady burn.<br>Amps calculation is for standard KKK lights only. Additional lighthoods will need to be calculated maunually.                       |     |     |
| 43-62-1205 |   | Delete Standard Front Whelen 900 Series Lights  | 1   | PLG |
| 43-62-2700 |   | Delete Front Center Flashing Light  | 1   | PLG |
| 43-62-2900 |   | Delete Rear 900 Series Amber Flashing Light   | 1   | PLG |
| 43-63-0650 |   | Whelen 900 Series Super-LED, w/Flange, Red, (2) Lt, (2) Rt  | 1   | PLG |
| 43-63-1610 |   | Whelen 900 Series Super-LED, w/Flange (2) Rear, window level<br>Color: Red  | 1   | PLG |
| 43-64-8000 |   | MISCELLANEOUS LED BODY MOUNTED LTS  | 1   | PLG |
| 43-64-8805 |   | Whelen 700 Series Super-LED, w/Flange, (2) Over Rear Wheel<br>Color: Red  | 1   | PLG |
| 43-66-0000 |   | CAB MOUNTED LIGHTS  | 1   | PLG |
| 43-66-0801 |   | Whelen 700 Series LED, Red, (2) Grille w/ Housing ILOS<br>Requires CPI LH37632-1/LH37633-1 for C4500  | 1   | PLG |
| 43-66-100A |   | Fender Flange (Whelen) 71C5LRC - C4500<br>This Flange used for C4500 Fender Lights  | 1   | PLG |
| 43-66-1300 |   | Whelen 700 Series LED w/Flange, (2) Fender, MD/HD<br>Color: Red   | 1   | PLG |
| 44-00-0000 |   | EXTERIOR VEHICLE LIGHTS   | 1   | PLG |
| 44-10-1500 |   | Light heads with clear lenses<br>Exterior vehicle lights lens colors will be clear.   | 1   | PLG |
| 44-10-2500 |   | Stop/Tail, (2) Whelen 600 Series LED w/Flange   | 1   | PLG |
| 44-15-1M00 |   | Back-up, (2) Whelen 600 Series, w/Flange  | 1   | PLG |
| 44-25-1800 |   | Directional, (2) Whelen 600 Series LED Populated Arrow  | 1   | PLG |
| 44-30-1000 |   | Marker/Clearance Lts, LED Front, Rear, (2) Sides  | 1   | PLG |

| PART NO    | S | DESCRIPTION  | QTY | ID  |
|------------|---|--|-----|-----|
| 44-30-3500 |   | Lower Side Whelen 500 Series LED, Flash w/Directional Rear Only  | 1   | PLG |
| 44-40-1800 |   | Front Body Directional (2) Whelen 600 LED Populated Arrow  | 1   | PLG |
| 44-40-7000 |   | Under Body Ground Lights, Waterproof, (6) Incandescent Lights spaced three each side, two front of axle, one rear.   | 1   | PLG |
|            |   | Lights to operate with any entrance or compartment door open, when vehicle is shifted in reverse and with switch in drivers console.                                   |     |     |
| 44-50-0000 |   | FLOOD LIGHTS   | 1   | PLG |
| 44-50-1000 |   | Whelen 900, 13 deg Flood w/Flange, (4), two per side   | 1   | PLG |
| 44-55-2000 |   | Rear Flood Lights Built into Rear Light Bar  | 1   | PLG |
| 44-60-3000 |   | Rear Flood Lights on w/Rear Door Open/Reverse  | 1   | PLG |
| 44-60-5500 |   | Right Side Flood Light Dual Control Switch, Power Logix  | 1   | PLG |
| 44-60-6500 |   | Rear Door Flood Light Dual Control Switch, Power Logix   | 1   | PLG |
| 44-60-7500 |   | Left/Right Rear Flood Lights, On In Reverse, Power Logix   | 1   | PLG |
| 45-00-1000 |   | CLIMATE CONTROL  | 1   | PLG |
| 45-10-1000 |   | Ventilation, Flow-Thru, (2) Speed, Rear Cowl   | 1   | PLG |
| 45-30-1000 |   | Ducted Heater/Air Cond, Digital Thermostat- C4500  | 1   | PLG |
| 45-30-5000 |   | Engine Mounted Compressor for Heat/ AC System  | 1   | PLG |
| 45-35-1100 |   | Auxiliary Coolant Pump Climate Control System w/Enhanced Fan Assembly & Lower Mounted Air Return Grille  | 1   | PLG |
| 45-60-2000 |   | Switch in Cab On-Off Control, Heater-A/C Unit, Power Logix   | 1   | PLG |
| 46-00-0000 |   | INTERIOR LIGHTS  | 1   | PLG |
| 46-10-1L00 |   | Dome Lights, Whelen LED, Hi-Lo, Qty (6)  | 1   | PLG |
| 46-10-2000 |   | Dome Lights Switched to Low Mode w/Door Open   | 1   | PLG |
| 46-20-1000 |   | Lights In Exterior Compartments, 4" Recessed   | 1   | PLG |
| 46-20-1200 |   | Panel Light, 12", Incandescent, in Rght Frnt -In/Out   | 1   | PLG |
| 46-20-2000 |   | Panel Light, 12", Incandescent, (LSS Area)   | 1   | PLG |
| 46-30-1000 |   | Stepwell Light, Located at Side Entrance Door  | 1   | PLG |
| 46-40-1M00 |   | Fluorescent Lights, 18", Qty (4)   | 1   | PLG |
| 46-40-2000 |   | Fluorescent Lights, Operate from Battery Charger   | 1   | PLG |
| 46-40-3R00 |   | Fluorescent Lts "Check-Out" 60 Minute Timer, Power Logix   | 1   | PLG |
|            |   | Momentary activation switch provided at both the side and rear entrance doors.<br>(Note: If air-ride equipped, fluorescent activation switch is at the side door only) |     |     |
| 46-50-1000 |   | Dome Light Switch, (1) Left, (1) Right   | 1   | PLG |
| 46-50-2500 |   | Dome Light Master Control Switch, Cab Console, Power Logix<br>Includes all ceiling mounted lights  | 1   | PLG |
| 46-50-5005 |   | Dome Light "Off" Delay w/Batt Sw Off, 60 Sec, Power Logix  | 1   | PLG |
| 46-50-5100 |   | Dome lights, 10 Minute Courtesy Timer, Power Logix   | 1   | PLG |
| 47-00-0000 |   | MEDICAL OUTLETS  | 1   | PLG |
| 47-20-1000 |   | 12 volt Medical Outlet, Power Point, Loc: LSS  | 1   | PLG |
| 47-20-2000 |   | 12 volt Medical Outlet, Power Point, Loc: Right Front In/out   | 1   | PLG |
| 47-20-2500 |   | 12 volt Medical Outlet, Power Point, Loc: Left Rear  | 1   | PLG |
| 47-60-0000 |   | ANTENNA/COMMUNICATION RADIO  | 1   | PLG |
| 47-60-1000 |   | Antenna Leads, (3) Body Roof - (See PDF)<br>(1) Front console, (1) L/S/S, (1) Behind driver seat.  | 1   | PLG |
| 47-60-6200 |   | Radio Power Lead, rear L/S/S   | 1   | PLG |

| PART NO    | S | DESCRIPTION   | QTY | ID  |
|------------|---|---|-----|-----|
|            |   | Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.   |     |     |
| 47-60-6500 |   | Radio Power Lead w/30 Amp Breaker, 10 ga. Cab Console<br>Includes: (1) 12 volt Hot wire w/fuse holder & 30 amp fuse, (1) 12 volt switched wire w/fuse holder and 30 amp fuse.                                     | 1   | PLG |
| 47-60-7000 |   | Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat<br>Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.                                  | 1   | PLG |
| 48-00-0000 |   | MISCELLANEOUS 12 VOLT ELECTRICAL  | 1   | PLG |
| 48-15-1500 |   | Back-Up Camera w/ 7" Flat Panel LCD Monitor w/ Audio<br>Monitor to mount on 4" Pedestal in cab ceiling between sun visors.  | 1   | PLG |
|            |   | Standby/Manual switch located on the monitor  |     |     |
|            |   | See, INS-M3-XXXXXX-00863 for 08' "E" Location drawing   |     |     |
| 48-20-1500 |   | Speakers, Stereo, On-Off Switch Rear Sw Panel, Power Logix  | 1   | PLG |
| 48-50-3002 |   | Clock, 12 volt 24 hour, Analog mounted on 45 degree cabinet   | 1   | PLG |
| 48-60-2500 |   | Air Ride Control Left Rear Door Open ,w/ Override Switch<br>With Factory Air Suspension.  | 1   | PLG |
| 48-70-2100 |   | Snow Chains, PREWIRE, Electrical Control -Power Logix<br>Includes Safety switch in console  | 1   | PLG |
| 50-00-0000 |   | ELECTRICAL 115 VOLT AC  | 1   | PLG |
| 51-20-5000 |   | Shoreline, Super Auto-Eject 20 amp, White, Left Side  | 1   | PLG |
| 51-30-1000 |   | Shoreline Indicator Neon Light, Amber   | 1   | PLG |
| 51-32-2000 |   | Power Distr Box, 115v, w/20 amp Circuit Bkr   | 1   | PLG |
| 51-40-1000 |   | Engine Block Heater to Shoreline<br>Hubble Hospital Grade Female Connector Under Hood   | 1   | PLG |
| 51-40-3000 |   | On-off Switch 115v, For Control of Block Htr  | 1   | PLG |
| 52-10-1000 |   | Hospital Grade Lighted GFCI Outlet, Location: L/S/S   | 1   | PLG |
| 52-10-2000 |   | Hospital Grade Lighted Outlet, Location: Left Rear  | 1   | PLG |
| 52-10-3000 |   | Hospital Grade Lighted Outlet, Location: Right Front In/out   | 1   | PLG |
| 54-00-0000 |   | BATTERY CHARGER   | 1   | PLG |
| 54-10-1M00 |   | Battery Charger, IOTA DLS-30, 30 amp  | 1   | PLG |
| 55-00-0000 |   | INVERTER  | 1   | PLG |
| 55-10-3000 |   | Inverter, Prewire, Battery Lead, Control Sw.<br>Provide switch in LSS, additional two 3/8" terminal studs, one to load side of disconnect switch other to battery ground. Label terminals "For use with Inverter" | 1   | PLG |
| 60-00-0000 |   | PAINT LUSTRE  | 1   | PLG |
| 60-00-0005 |   | Ten Year Paint Warranty (Paint Lustre)<br>The Paint Lustre paint and finish shall be warranted for ten years  | 1   | PLG |
| 60-10-5000 |   | Paint Modular Body Other Than White<br>Color:_____, No._____  | 1   | PLG |
| 60-15-1460 |   | Paint Cab, Additional Color- (OEM & New) -Titan Series<br>Color:_____, No._____   | 1   | PLG |
|            |   | Details:_____   |     |     |

| PART NO    | S | DESCRIPTION  | QTY | ID  |
|------------|---|--|-----|-----|
| 61-10-1000 |   | 11" Beltline Stripe<br>Color: _____, No. _____   | 1   | PLG |
| 61-90-S002 | S | Paint module body two tone White over Red  | 1   | PLG |
| 65-00-0000 |   | LETTERING<br>No lettering specified  | 1   | PLG |
| 70-00-0000 |   | RADIO EQUIPMENT  | 1   | PLG |
| 70-10-0000 |   | TECHNICAL INSTALLATION OPTIONS   | 1   | PLG |
| 70-10-0500 |   | No Technical Radio Installation  | 1   | PLG |
| 75-00-0000 |   | CHASSIS EQUIPMENT  | 1   | PLG |
| 75-20-2650 |   | Front Stabilizer Bar, IPD, 08' C4500   | 1   | PLG |
| 75-45-3500 |   | Oversized Reserve Air Tank<br>Ref procedure CHP-U-XXXXXX-00524   | 1   | PLG |
| 80-00-0000 |   | EQUIPMENT  | 1   | PLG |
| 80-43-5500 |   | Bottle Bracket, Universal F/W Model 521, (2)<br>Located in recessed stepwell area head of squad bench. | 1   | PLG |
| 95-10-0100 |   | CHASSIS  | 1   | PLG |
| 96-32-2000 |   | Fuel "Full Tank" -Titan, C4500   | 1   | PLG |
| 96-90-S051 | X | 2008 Chevy C4500 Cutaway, 100" CA (16,500 GVW) Alum Wheels<br>Custom chassis as per attached specs     | 1   |     |
|            |   | Each Chassis quoted separately, price is for reference<br>only.<br>(CH-C-0082)                         |     |     |